

ELMARK[®]

The Brand of Electricity


ACOUSTIC HIGH-POWER LED PROFILES S36 SERIES

GENERAL INFORMATION »

- ∴ Rated voltage: 230V/ 50-60Hz
- ∴ Power: 20W; 40W; 50W
- ∴ Power supply: 42V SELV driver
- ∴ Colour temperature: 4000K
- ∴ Light Source: SAMSUNG
- ∴ Colour: White; Black; Grey
- ∴ Body: Aluminium
- ∴ Reflector: Polycarbonate (PC)
- ∴ Beam angle: 90°
- ∴ Colour rendering index: Ra≥80
- ∴ Switch on/off: >15 000
- ∴ Long life: 20 000h
- ∴ Protection against dust and moisture: IP40

FEATURES »


- ∴ Maximizes sound absorption, improve human comfort and resolve reverberation issues in open spaces.
- ∴ Made of high-quality aluminum.
- ∴ Low power consumption
- ∴ Instant light with maximum luminous flux
- ∴ Environmentally friendly - no mercury and lead
- ∴ No ultraviolet and infrared rays
- ∴ Resistant to shock and vibration-free body
- ∴ Low heat emission
- ∴ Ideal for conference rooms, private offices, reception areas and other open commercial spaces.



PRODUCT DETAILS »

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)
99SM36S4020A/BL	99SM36S4020A/WH	99SM36S4020A/GR	20	1600	4000
99SM36S4040A/BL	99SM36S4040A/WH	99SM36S4040A/GR	40	3200	4000
99SM36S4050A/BL	99SM36S4050A/WH	99SM36S4050A/GR	50	4000	4000

DIMENSIONS »



Installation accessories »

Suspension wire

- Catalogue number: 99ACC51


Suspension wire with console

- Catalogue number: 99ACC52




Model	Length (mm)	Width (mm)	Height (mm)
20W	600	55	200
40W	1200	55	200
50W	1500	55	200


ADDITIONAL INFORMATION »



99SM36S4020A/BL




This luminaire contains built-in LED lamps.



The lamps cannot be changed in the luminaire.

874/2012



Model	Packing/Box (pcs)
LED PROFILE 20W	1/1
LED PROFILE 40W	1/1
LED PROFILE 50W	1/1

